

All prices shown in the pricelist are in EUROS (€) and are valid from 27/06/2019 except typographical errors.

Prices shown exclude VAT and are subject to change without prior notice. In case of change, the prices to be applied are those in force at the date of receipt of the request/order.

Todos os preços apresentados na tabela são em EUROS (€) e são válidos a partir de 27/06/2019, salvo erro tipográfico.

Os preços indicados estão sujeitos a IVA à taxa em vigor e podem ser alterados sem aviso prévio. Em caso de alteração, os preços a aplicar serão os que estiverem em vigor à data de receção do pedido/encomenda.

Please refer to our catalogues to choose the different options available.

Por favor, consulte os nossos catálogos para escolher as diferentes opções disponíveis.

.CT = colour temperature options - opções de temperatura da cor

.FI = Finishing options - opções de acabamento

.BA = Beam angle options - opções de ângulo de feixe

SMARTLIGHTING Basic Smart

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Switch for BASIC Smart - ORIS+ range	8030-2214	39,80	p.23
Switch for BASIC Smart - SIFTOS range	8030-2235	39,80	p.23

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Smart Sensor IP20 - 80cm cable - ORIS+ range	8030-1203	99,80	p.23
Remote control for Smart Sensor IP20	8030-0647	15,80	p.23

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Smart Sensor IP65 - 80cm cable - SIFTOS range	8030-1277	139,80	p.23
Waterproof box for Smart Sensor IP65	8030-1568	15,80	p.23

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Bluetooth DALI driver for 7W, 10W & 13W downlights	8030-2412	107,80	p.25
Bluetooth DALI driver for 18W downlights	8030-2413	113,80	p.25

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Bluetooth module for BASIC Smart with DALI line	8030-2574	151,80	p.26
DALI PS for BASIC Smart	8030-0873	29,60	p.27

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Bluetooth module for BASIC Smart	8030-2212	129,80	p.24
Bluetooth module for RGBW + Tunable White	8030-2575	135,80	p.24

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Bluetooth Sensor for BASIC Smart	8030-2801	213,80	p.25
Bluetooth Sensor Housing	8030-2802	29,80	p.25

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
User Panel Interface for BASIC Smart (black)	8030-2213	285,80	p.25
User Panel Interface for BASIC Smart (white)	8030-2420	285,80	p.25

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
24V Bluetooth power supply 35W	8030-2415	139,80	p.26
24V Bluetooth power supply 60W	8030-2416	157,80	p.26
24V Bluetooth power supply 100W	8030-2417	176,80	p.26
24V Bluetooth power supply 150W	8030-2418	209,80	p.26

SMARTLIGHTING FULL Smart

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Gateway for FULL Smart	8030-0966	1.598,00	p.29
36V Power supply for Gateway and Touchpanel	8030-6012	355,80	p.29
DIN-rail mounting kit for Gateway	8030-0969	21,80	p.29
DALI PS Interface for FullSmart	8030-1847	371,80	p.29
RS232 cable for Gateway	8030-0968	9,00	p.29

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
DALI USB for FullSmart	8030-8923	335,80	p.29
DALI repeater for FullSmart	8030-8401	439,80	p.29
DALI module for push button	8030-1716	171,80	p.29

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Ceiling installation DALI Sensor for FullSmart	8030-0894	225,80	p.29
Surface mounting DALI Sensor for FullSmart	8030-0895	241,80	p.29

MAGNETIC TRACK SYSTEM Retail Lighting

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
PROLINER Lens 30°	153.90.05.L3.CT.TB	10W	204,80	p.43
PROLINER Lens 30° DALI	153DA.90.05.L3.CT.TB	10W	237,80	p.43
PROLINER UGR < 19 - 60°	153.90.05.U6.CT.TB	10W	201,80	p.43
PROLINER UGR < 19 - 60° DALI	153DA.90.05.U6.CT.TB	10W	233,80	p.43
PROLINER Prismatic 80°	153.90.05.P8.CT.TB	12W	160,40	p.43
PROLINER Prismatic 80° DALI	153DA.90.05.P8.CT.TB	12W	175,80	p.43
PROLINER Opal 90°	153.90.05.O9.CT.TB	12W	155,80	p.43
PROLINER Opal 90° DALI	153DA.90.05.O9.CT.TB	12W	169,80	p.43
PROLINER Lens 30°	154.90.11.L3.CT.TB	18W	339,80	p.43
PROLINER Lens 30° DALI	154DA.90.11.L3.CT.TB	18W	361,80	p.43
PROLINER UGR < 19 - 60°	154.90.11.U6.CT.TB	18W	333,80	p.43
PROLINER UGR < 19 - 60° DALI	154DA.90.11.U6.CT.TB	18W	353,80	p.43
PROLINER Prismatic 80°	154.90.11.P8.CT.TB	24W	221,80	p.43
PROLINER Prismatic 80° DALI	154DA.90.11.P8.CT.TB	24W	253,80	p.43
PROLINER Opal 90°	154.90.11.O9.CT.TB	24W	211,80	p.43
PROLINER Opal 90° DALI	154DA.90.11.O9.CT.TB	24W	243,80	p.43
PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
APALIS 48V	400.90.36.CT.FI	7W	176,80	p.45
APALIS 48V DALI	400DA.90.36.CT.FI	7W	193,80	p.45
ROSS 48V CRI80	401.80.BA.CT.TB	18W	193,80	p.47
ROSS 48V CRI80 DALI	401DA.80.BA.CT.TB	18W	223,80	p.47
ROSS 48V CRI90	401.90.BA.CT.TB	18W	193,80	p.47
ROSS 48V CRI90 DALI	401DA.90.BA.CT.TB	18W	223,80	p.47
HERON 48V CRI80	403.80.BA.CT.FI	25W	211,20	p.49
HERON 48V CRI80 DALI	403DA.80.BA.CT.FI	25W	243,80	p.49
HERON 48V CRI90	403.90.BA.CT.FI	25W	211,20	p.49
HERON 48V CRI90 DALI	403DA.90.BA.CT.FI	25W	243,80	p.49
LAZULI 48V	405.90.35.30.TB	7W	199,80	p.51
LAZULI 48V DALI	405DA.90.35.30.TB	7W	219,80	p.51

230V TRACK LIGHT Retail Lighting

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019	
ROSS 230V	402.80.BA.CT.FI	18W	111,80	p.47	
ROSS 230V	402.90.BA.CT.FI	18W	111,80	p.47	
HERON 230V	404.80.BA.CT.FI	25W	149,80	p.49	
HERON 230V	404.90.BA.CT.FI	25W	149,80	p.49	
PRODUCT NAME	PRODUCT CODE	POWER	CRI	PRICE	CAT. 2019
LORY	442.80.BA.CT.FI	12W	+80	65,80	p.59
LORY	442.95.BA.CT.FI	12W	+90	65,80	p.59

PRODUCT NAME	PRODUCT CODE	LENGTH	PRICE	CAT. 2019
BT1 - Surface track 48V	3080-0175.BL	1m	79,80	p.52
BT1 - Surface track 48V	3080-0176.BL	2m	164,80	p.52
BT2 - Surface deep track 48V	3080-0177.BL	1m	99,80	p.52
BT2 - Surface deep track 48V	3080-0178.BL	2m	205,80	p.52
BT3 - Trimless recessed deep track 48V	3080-0182.BL	1m	104,80	p.53
BT3 - Trimless recessed deep track 48V	3080-0183.BL	2m	215,80	p.53
ACCESSORY NAME	ACCESSORY CODE		PRICE	CAT. 2019
Black end cap for BT1 track	3080-0184.BL		12,00	p.52
Black end cap for BT1 track with central hole and gasket for cable	3080-0185.BL		14,00	p.52
Black end cap for BT2 & BT3 track	3080-0186.BL		12,00	p.52
Black end cap for BT2 & BT3 tracks with central hole and gasket for cable	3080-0187.BL		14,00	p.52
Pendant bracket for BT1 track	3080-0179.BL		10,00	p.52
Pendant bracket for BT2 track	3080-0188		9,80	p.52
Pendant bracket for BT3 track	3080-0189		9,80	p.52
Suspension kit for BT1, BT2 & BT3 tracks	3080-0190		16,00	p.53
Polarized end-feed Left BL	3080-0192.L		46,80	p.53
Polarized end-feed Right BL	3080-0192.R		46,80	p.53
Polarized jointing connector BL	3080-0193		23,80	p.53
Reinforcing bracket for trimless track BT3 BL	3080-0194		10,80	p.53
Internal Polarized L feed BL	3080-0195.I		84,40	p.53
External Polarized L feed BL	3080-0195.E		84,40	p.53
Cover for L joint for BT2 track BL	3080-0196		89,80	p.53
ACCESSORY NAME	ACCESSORY CODE		PRICE	CAT. 2019
APALIS holder for BT2 BT3 deep tracks	8030-0050		0,00	p.45
ROSS holder for BT2 BT3 deep tracks	8030-0051		0,00	p.47
HERON holder for BT2 BT3 deep tracks	8030-0052		0,00	p.49

CEILING RECESSED Retail Lighting

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
LAZULI 350mA	406.90.35.30.TB	7W	107,80	p.51
CUCKOO	444.90.36.CT.FI	13W	89,80	p.55
APALIS 350mA	443.90.36.CT.FI	7W	59,80	p.57

TRACK LIGHT Retail Lighting

PRODUCT NAME	PRODUCT CODE	POWER	CRI	PRICE	CAT. 2019
SPAR EFFICIENCY	445.80.BA.CT.FI	25W	+80	109,80	p.61
SPAR EFFICIENCY	445.90.BA.CT.FI	25W	+90	109,80	p.61
SPAR FASHION & ART	445.95.BA.CT.FI	25W	+95	119,80	p.63
SPAR FASHION & ART	445.98.BA.CT.FI	25W	+98	119,80	p.63
SPAR GOLD +	445.90.BA.24G.FI	25W	+90	119,80	p.65
SPAR GOLD	445.90.BA.27G.FI	25W	+90	119,80	p.65
SPAR MEAT +	445.90.BA.27M.FI	25W	+90	119,80	p.65
SPAR FRESH MEAT	445.90.BA.40FM.FI	25W	+90	119,80	p.65
SPAR FISH	445.90.BA.65F.FI	25W	+90	119,80	p.65

PRODUCT NAME	PRODUCT CODE	POWER	CRI	PRICE	CAT. 2019
SPAR EFFICIENCY	446.80.BA.CT.FI	32W	+80	125,80	p.61
SPAR EFFICIENCY	446.90.BA.CT.FI	32W	+90	125,80	p.61
SPAR FASHION & ART	446.95.BA.CT.FI	32W	+95	149,80	p.63
SPAR FASHION & ART	446.98.BA.CT.FI	32W	+98	149,80	p.63
SPAR GOLD +	446.90.BA.24G.FI	32W	+90	149,80	p.65
SPAR GOLD	446.90.BA.27G.FI	32W	+90	149,80	p.65
SPAR MEAT +	446.90.BA.27M.FI	32W	+90	149,80	p.65
SPAR FRESH MEAT	446.90.BA.40FM.FI	32W	+90	149,80	p.65
SPAR FISH	446.90.BA.65F.FI	32W	+90	149,80	p.65

TRACK ON-OFF Retail Lighting

PRODUCT NAME	PRODUCT CODE	LENGTH	PRICE	CAT. 2019
SUSPENDED / SURFACE MOUNTED TRACK CALHA DE SUSPENSÃO / SALIENTE	3080-0300.FI	1m	41,60	p.66
	3080-0301.FI	2m	69,60	p.66

PRODUCT NAME	PRODUCT CODE	LENGTH	PRICE	CAT. 2019
RECESSED TRACK CALHA DE ENCASTRAR	3080-0336.FI	1m	41,80	p.67
	3080-0337.FI	2m	83,80	p.67

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
End cap	3080-0302.FI	1,80	p.66
End feed - earth right A	3080-0303.FI	18,00	p.66
End feed - earth left B	3080-0304.FI	18,00	p.66
Straight coupler	3080-0305.FI	12,80	p.66
Straight coupler with feeding option	3080-0306.FI	38,80	p.66
L-coupler earth outside A	3080-0307.FI	38,80	p.66
L-coupler earth inside B	3080-0308.FI	38,80	p.66
Flexible coupler 30° to 330°	3080-0309.FI	55,80	p.66
T-coupler earth inside right A	3080-0310.FI	59,60	p.66
T-coupler earth inside left B	3080-0311.FI	59,60	p.66
T-coupler earth outside right C	3080-0312.FI	59,60	p.66
T-coupler earth outside left D	3080-0313.FI	59,60	p.66
X-coupler	3080-0314.FI	75,60	p.66
Seamless middle feed	3080-0315.FI	30,80	p.66
1 meter cover	3080-0316.FI	11,20	p.66
Suspension kit 1 cable 1,5m length	3080-0333.AL	22,80	p.66
Pendant clip for suspension	3080-0334.FI	5,80	p.66
Coupler for suspension	3080-0335.AL	7,80	p.66

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
End cap	3080-0338.FI	4,80	p.67
End feed - earth right A	3080-0339.FI	22,20	p.67
End feed - earth left B	3080-0340.FI	22,20	p.67
Straight coupler	3080-0341.FI	16,80	p.67
Straight coupler with feeding option	3080-0342.FI	45,20	p.67
L-coupler earth outside A	3080-0343.FI	45,20	p.67
L-coupler earth inside B	3080-0344.FI	45,20	p.67
T-coupler earth inside right A	3080-0345.FI	67,80	p.67
T-coupler earth inside left B	3080-0346.FI	67,80	p.67
T-coupler earth outside right C	3080-0347.FI	67,80	p.67
T-coupler earth outside left D	3080-0348.FI	67,80	p.67
X-coupler	3080-0349.FI	79,80	p.67
Seamless middle feed	3080-0350.FI	30,80	p.67
1 meter cover	3080-0316.FI	11,20	p.67
Snap hanger kit (6pcs)	3080-0352	9,20	p.67

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
Surface mounted housing for track light	3080-0367.FI	73,80	p.67
Recessed housing for track light	3080-0368.FI	19,80	p.67

TRACK DALI Retail Lighting

PRODUCT NAME	PRODUCT CODE	LENGTH	PRICE	CAT. 2019
SUSPENDED / SURFACE MOUNTED TRACK CALHA DE SUSPENSÃO / SALIENTE	3080-0317.FI	1m	53,80	p.68
	3080-0318.FI	2m	91,80	p.68

PRODUCT NAME	PRODUCT CODE	LENGTH	PRICE	CAT. 2019
RECESSED TRACK CALHA DE ENCASTRAR	3080-0353.FI	1m	65,80	p.69
	3080-0354.FI	2m	113,80	p.69

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
End cap	3080-0302.FI	1,80	p.68
End feed - earth right A	3080-0320.FI	28,80	p.68
End feed - earth left B	3080-0321.FI	28,80	p.68
Straight coupler	3080-0322.FI	25,80	p.68
Straight coupler with feeding option	3080-0323.FI	64,80	p.68
L-coupler earth outside A	3080-0324.FI	64,80	p.68
L-coupler earth inside B	3080-0325.FI	64,80	p.68
Flexible coupler 30° to 330°	3080-0326.FI	72,40	p.68
T-coupler earth inside right A	3080-0327.FI	98,80	p.68
T-coupler earth inside left B	3080-0328.FI	98,80	p.68
T-coupler earth outside right C	3080-0329.FI	98,80	p.68
T-coupler earth outside left D	3080-0330.FI	98,80	p.68
X-coupler	3080-0331.FI	109,80	p.68
Seamless middle feed	3080-0332.FI	42,80	p.68
1 meter cover	3080-0316.FI	11,20	p.68
Suspension kit 1 cable 1,5m length	3080-0333.AL	22,80	p.68
Pendant clip for suspension	3080-0334.FI	5,80	p.68
Coupler for suspension	3080-0335.AL	7,80	p.68

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
End cap	3080-0338.FI	4,80	p.69
End feed - earth right A	3080-0355.FI	33,80	p.69
End feed - earth left B	3080-0356.FI	33,80	p.69
Straight coupler	3080-0357.FI	34,20	p.69
Straight coupler with feeding option	3080-0358.FI	97,80	p.69
L-coupler earth outside A	3080-0359.FI	97,80	p.69
L-coupler earth inside B	3080-0360.FI	97,80	p.69
T-coupler earth inside right A	3080-0361.FI	121,20	p.69
T-coupler earth inside left B	3080-0362.FI	121,20	p.69
T-coupler earth outside right C	3080-0363.FI	121,20	p.69
T-coupler earth outside left D	3080-0364.FI	121,20	p.69
X-coupler	3080-0365.FI	139,80	p.69
Seamless middle feed	3080-0366.FI	42,80	p.69
1 meter cover	3080-0316.FI	11,20	p.69
Snap hanger kit (6pcs)	3080-0352	9,20	p.69

IRIS Linear Light

PRODUCT NAME	PRODUCT CODE	POWER	LENGTH (L)	PRICE	CAT. 2019
IRIS-H Horizontal	164H.80.360.09.CT.TW	24 W	926 mm	159,90	p.73
IRIS-H Horizontal	164H.80.360.12.CT.TW	32 W	1225 mm	169,90	p.73
IRIS-H Horizontal *	164H.80.360.15.CT.TW *	40 W	1524 mm	222,20	p.73
IRIS-V Vertical	164V.80.360.06.CT.TW	16 W	653 mm	129,90	p.74
IRIS-V Vertical	164V.80.360.09.CT.TW	24 W	952 mm	159,90	p.74
IRIS-V Vertical	164V.80.360.12.CT.TW	32 W	1251 mm	169,90	p.74

Please, choose the mounting option according to the regulation type/length in next page.

Por favor, escolha a opção de montagem de acordo com o tipo de regulação/comprimento na página seguinte.

* IRIS-H 1500mm length in ON/OFF version doesn't exist with a round surface cup. Please, choose the oval surface cup option in the table below.

A IRIS-H ON/OFF com um comprimento de 1500mm não está disponível com o florão de teto redondo. Por favor, escolha a opção de florão de teto oval na tabela seguinte.

ACCESSORY NAME	ACCESSORY CODE	REGULATION TYPE	LENGTH	PRICE	CAT. 2019
Kit driver ON/OFF + round surface mounted cup	5004-015.ON06	ON/OFF	600 mm	+ 0,00*	p.75
Kit driver ON/OFF + round surface mounted cup	5004-015.ON09	ON/OFF	900 mm	+ 0,00*	p.75
Kit driver ON/OFF + round surface mounted cup	5004-015.ON12	ON/OFF	1200 mm	+ 0,00*	p.75
Kit driver ON/OFF + oval surface mounted cup	5004-016.ON06	ON/OFF	600 mm	+ 39,00	p.75
Kit driver ON/OFF + oval surface mounted cup	5004-016.ON09	ON/OFF	900 mm	+ 39,00	p.75
Kit driver ON/OFF + oval surface mounted cup	5004-016.ON12	ON/OFF	1200 mm	+ 39,00	p.75
Kit driver ON/OFF + oval surface mounted cup	5004-016.ON15	ON/OFF	1500 mm	+ 39,00	p.75
Kit driver ON/OFF + round recessed cup	5004-017.ON06	ON/OFF	600 mm	+ 29,00	p.75
Kit driver ON/OFF + round recessed cup	5004-017.ON09	ON/OFF	900 mm	+ 29,00	p.75
Kit driver ON/OFF + round recessed cup	5004-017.ON12	ON/OFF	1200 mm	+ 29,00	p.75
Kit driver DALI + oval surface mounted cup	5004-016.DA06	DALI	600 mm	+ 79,00	p.75
Kit driver DALI + oval surface mounted cup	5004-016.DA09	DALI	900 mm	+ 79,00	p.75
Kit driver DALI + oval surface mounted cup	5004-016.DA12	DALI	1200 mm	+ 79,00	p.75
Kit driver DALI + oval surface mounted cup	5004-016.DA15	DALI	1500 mm	+ 79,00	p.75
Kit driver DALI + round recessed cup	5004-017.DA06	DALI	600 mm	+ 69,00	p.75
Kit driver DALI + round recessed cup	5004-017.DA09	DALI	900 mm	+ 69,00	p.75
Kit driver DALI + round recessed cup	5004-017.DA12	DALI	1200 mm	+ 69,00	p.75

* The price of this accessory is included in the price of the product. O preço deste acessório está incluído no preço do produto.

PRODUCT NAME	PRODUCT CODE	POWER	LENGTH (L)	PRICE	CAT. 2019
IRIS-T On track *	164T.80.360.06.CT.TW	16 W	627 mm	149,90	p.77
IRIS-T On track *	164T.80.360.09.CT.TW	24 W	926 mm	169,90	p.77
IRIS-T On track *	164T.80.360.12.CT.TW	32 W	1225 mm	189,90	p.77

* Driver included. Please refer to the track light section to choose the track accessories.

Driver incluído. Por favor, consulte a secção dos track light para escolher os acessórios de calha.

IRIS WATERPROOF Linear Light

PRODUCT NAME	PRODUCT CODE	POWER	LENGTH (L)	PRICE	CAT. 2019
IRIS IP65	165DA.80.180.06.CT.AL	19 W	595 mm	241,60	p.79
IRIS IP65	165DA.80.180.09.CT.AL	29 W	875 mm	264,80	p.79
IRIS IP65	165DA.80.180.12.CT.AL	38 W	1155 mm	271,80	p.79
IRIS IP65	165DA.80.180.15.CT.AL	48 W	1435 mm	311,80	p.79

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
Suspension Kit 1500mm silver cable	3080-0044.SL	7,80	p.79

ORIS 50mm Linear Profile

ORIS 50MM EFFICIENCY SUSPENDED	POWER	LENGTH (L1)	PRICE	CAT. 2019	ORIS 50MM EFFICIENCY SURFACE MOUNTED	ORIS 50MM EFFICIENCY RECESSED	POWER	LENGTH (L1)	PRICE	CAT. 2019
142.80.90.05.CT.FI	18W	570 mm	123,80	p.81	140.80.90.05.CT.FI	141.80.90.05.CT.FI	18W	570 mm	96,40	p.81
142.80.90.08.CT.FI	28W	850 mm	159,80	p.81	140.80.90.08.CT.FI	141.80.90.08.CT.FI	28W	850 mm	131,40	p.81
142.80.90.11.CT.FI	36W	1130 mm	165,80	p.81	140.80.90.11.CT.FI	141.80.90.11.CT.FI	36W	1130 mm	143,80	p.81
142.80.90.14.CT.FI	45W	1410 mm	207,80	p.81	140.80.90.14.CT.FI	141.80.90.14.CT.FI	45W	1410 mm	170,80	p.81
142.80.90.16.CT.FI	54W	1690 mm	239,80	p.81	140.80.90.16.CT.FI	141.80.90.16.CT.FI	54W	1690 mm	199,80	p.81
142.80.90.19.CT.FI	64W	1970 mm	309,80	p.81	140.80.90.19.CT.FI	141.80.90.19.CT.FI	64W	1970 mm	258,80	p.81
142.80.90.22.CT.FI	73W	2250 mm	345,80	p.81	140.80.90.22.CT.FI	141.80.90.22.CT.FI	73W	2250 mm	287,80	p.81
142.80.90.25.CT.FI	82W	2530 mm	371,80	p.81	140.80.90.25.CT.FI	141.80.90.25.CT.FI	82W	2530 mm	309,80	p.81
142.80.90.28.CT.FI	91W	2810 mm	462,60	p.81	140.80.90.28.CT.FI	141.80.90.28.CT.FI	91W	2810 mm	378,00	p.81
142.80.90.30.CT.FI	100W	3090 mm	466,60	p.81	140.80.90.30.CT.FI	141.80.90.30.CT.FI	100W	3090 mm	389,80	p.81
142.80.90.33.CT.FI	110W	3370 mm	499,80	p.81	140.80.90.33.CT.FI	141.80.90.33.CT.FI	110W	3370 mm	419,80	p.81
142.80.90.36.CT.FI	119W	3650 mm	567,80	p.81	140.80.90.36.CT.FI	141.80.90.36.CT.FI	119W	3650 mm	479,80	p.81
142.80.90.39.CT.FI	128W	3930 mm	595,80	p.81	140.80.90.39.CT.FI	141.80.90.39.CT.FI	128W	3930 mm	499,80	p.81
142.80.90.42.CT.FI	137W	4210 mm	623,80	p.81	140.80.90.42.CT.FI	141.80.90.42.CT.FI	137W	4210 mm	539,80	p.81
142.80.90.44.CT.FI	146W	4490 mm	661,80	p.81	140.80.90.44.CT.FI	141.80.90.44.CT.FI	146W	4490 mm	569,80	p.81
142.80.90.47.CT.FI	155W	4770 mm	699,80	p.81	140.80.90.47.CT.FI	141.80.90.47.CT.FI	155W	4770 mm	611,80	p.81
142.80.90.50.CT.FI	165W	5050 mm	811,20	p.81	140.80.90.50.CT.FI	141.80.90.50.CT.FI	165W	5050 mm	729,80	p.81
142.80.90.53.CT.FI	174W	5330 mm	917,80	p.81	140.80.90.53.CT.FI	141.80.90.53.CT.FI	174W	5330 mm	775,80	p.81
142.80.90.56.CT.FI	183W	5610 mm	953,80	p.81	140.80.90.56.CT.FI	141.80.90.56.CT.FI	183W	5610 mm	819,80	p.81
142.80.90.59.CT.FI	192W	5900 mm	999,80	p.81	140.80.90.59.CT.FI	141.80.90.59.CT.FI	192W	5900 mm	859,80	p.81

PRODUCT NAME	PRODUCT CODE	LENGTH (L1)	PRICE	CAT. 2019
Trimless fitting for ORIS 50mm	8030-1400.2000	2000 mm	34,56	p.83

RECTANGLE & SQUARE Linear Profile

PRODUCT NAME	PRODUCT CODE	POWER	LENGTH	PRICE	CAT. 2019
SQUARE ORIS 50mm	143.80.90.66.CT.FI	72W	620x620mm	478,00	p.85
RECTANGLE ORIS 50mm	155.80.90.113.CT.FI	90W	1180x340mm	538,00	p.85
RECTANGLE ORIS 50mm	144.80.90.116.CT.FI	108W	1180x620mm	605,80	p.85

ACCESSORIES ORIS 50mm & ORIS+ Linear Profile

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
60mm round ceiling cup with 2 holes for electric cable Florão de teto 60mm com 2 orifícios para cabo elétrico	3080-015.FI	5,20	p.87
90mm round ceiling cup with 1 hole for electric cable Florão de teto 90mm com 1 orifício para cabo elétrico	3080-016.FI	5,98	p.87

ORIS+ EFFICIENCY Linear Profile

ORIS+ EFFICIENCY SURFACE MOUNTED	POWER	LENGTH (L1)	PRICE	CAT. 2019
150.80.05.09.CT.FI	18W	570mm	99,80	p.87
150.80.08.09.CT.FI	28W	850mm	131,40	p.87
150.80.11.09.CT.FI	36W	1130mm	145,80	p.87
150.80.14.09.CT.FI	45W	1410mm	173,80	p.87
150.80.16.09.CT.FI	54W	1690mm	203,80	p.87
150.80.19.09.CT.FI	64W	1970mm	263,80	p.87
150.80.22.09.CT.FI	73W	2250mm	293,80	p.87
150.80.25.09.CT.FI	82W	2530mm	315,80	p.87
150.80.28.09.CT.FI	91W	2810mm	378,00	p.87
150.80.30.09.CT.FI	100W	3090mm	393,80	p.87
150.80.33.09.CT.FI	110W	3370mm	424,80	p.87
150.80.36.09.CT.FI	119W	3650mm	490,99	p.87
150.80.39.09.CT.FI	128W	3930mm	513,80	p.87
150.80.42.09.CT.FI	137W	4210mm	549,80	p.87
150.80.44.09.CT.FI	146W	4490mm	579,80	p.87
150.80.47.09.CT.FI	155W	4770mm	625,80	p.87
150.80.50.09.CT.FI	165W	5050mm	739,80	p.87
150.80.53.09.CT.FI	174W	5330mm	799,80	p.87
150.80.56.09.CT.FI	183W	5610mm	831,80	p.87
150.80.59.09.CT.FI	192W	5900mm	871,80	p.87

ORIS+ EFFICIENCY SUSPENDED	POWER	LENGTH (L1)	PRICE	CAT. 2019
152.80.05.09.CT.FI	18W	570mm	129,80	p.87
152.80.08.09.CT.FI	28W	850mm	159,80	p.87
152.80.11.09.CT.FI	36W	1130mm	167,80	p.87
152.80.14.09.CT.FI	45W	1410mm	208,80	p.87
152.80.16.09.CT.FI	54W	1690mm	244,40	p.87
152.80.19.09.CT.FI	64W	1970mm	316,60	p.87
152.80.22.09.CT.FI	73W	2250mm	352,80	p.87
152.80.25.09.CT.FI	82W	2530mm	379,00	p.87
152.80.28.09.CT.FI	91W	2810mm	462,60	p.87
152.80.30.09.CT.FI	100W	3090mm	470,60	p.87
152.80.33.09.CT.FI	110W	3370mm	509,80	p.87
152.80.36.09.CT.FI	119W	3650mm	579,40	p.87
152.80.39.09.CT.FI	128W	3930mm	606,60	p.87
152.80.42.09.CT.FI	137W	4210mm	635,40	p.87
152.80.44.09.CT.FI	146W	4490mm	673,80	p.87
152.80.47.09.CT.FI	155W	4770mm	729,20	p.87
152.80.50.09.CT.FI	165W	5050mm	845,00	p.87
152.80.53.09.CT.FI	174W	5330mm	935,80	p.87
152.80.56.09.CT.FI	183W	5610mm	973,20	p.87
152.80.59.09.CT.FI	192W	5900mm	1.020,00	p.87

ORIS+ TUNABLE WHITE Linear Profile

ORIS+ TUNABLE WHITE SURFACE MOUNTED	POWER	LENGTH (L1)	PRICE	CAT. 2019
159DA.90.05.09.2765.FI	28W	570mm	307,80	p.89
159DA.90.08.09.2765.FI	41W	850mm	353,80	p.89
159DA.90.11.09.2765.FI	54W	1130mm	409,80	p.89
159DA.90.14.09.2765.FI	67W	1410mm	463,80	p.89
159DA.90.16.09.2765.FI	80W	1690mm	523,80	p.89
159DA.90.19.09.2765.FI	95W	1970mm	753,80	p.89
159DA.90.22.09.2765.FI	108W	2250mm	809,80	p.89
159DA.90.25.09.2765.FI	121W	2530mm	863,80	p.89
159DA.90.28.09.2765.FI	134W	2810mm	915,80	p.89
159DA.90.30.09.2765.FI	147W	3090mm	977,80	p.89
159DA.90.33.09.2765.FI	160W	3370mm	1.039,80	p.89
159DA.90.36.09.2765.FI	175W	3650mm	1.263,80	p.89
159DA.90.39.09.2765.FI	188W	3930mm	1.315,80	p.89
159DA.90.42.09.2765.FI	201W	4210mm	1.369,80	p.89
159DA.90.44.09.2765.FI	214W	4490mm	1.429,80	p.89
159DA.90.47.09.2765.FI	227W	4770mm	1.493,80	p.89
159DA.90.50.09.2765.FI	240W	5050mm	1.553,80	p.89
159DA.90.53.09.2765.FI	255W	5330mm	1.769,80	p.89
159DA.90.56.09.2765.FI	268W	5610mm	1.821,80	p.89
159DA.90.59.09.2765.FI	281W	5900mm	1.885,80	p.89

ORIS+ TUNABLE WHITE SUSPENDED	POWER	LENGTH (L1)	PRICE	CAT. 2019
161DA.90.05.09.2765.FI	28W	570mm	375,80	p.89
161DA.90.08.09.2765.FI	41W	850mm	429,80	p.89
161DA.90.11.09.2765.FI	54W	1130mm	493,80	p.89
161DA.90.14.09.2765.FI	67W	1410mm	557,80	p.89
161DA.90.16.09.2765.FI	80W	1690mm	627,80	p.89
161DA.90.19.09.2765.FI	95W	1970mm	895,80	p.89
161DA.90.22.09.2765.FI	108W	2250mm	959,80	p.89
161DA.90.25.09.2765.FI	121W	2530mm	1.023,80	p.89
161DA.90.28.09.2765.FI	134W	2810mm	1.089,80	p.89
161DA.90.30.09.2765.FI	147W	3090mm	1.161,80	p.89
161DA.90.33.09.2765.FI	160W	3370mm	1.233,80	p.89
161DA.90.36.09.2765.FI	175W	3650mm	1.495,80	p.89
161DA.90.39.09.2765.FI	188W	3930mm	1.561,80	p.89
161DA.90.42.09.2765.FI	201W	4210mm	1.625,80	p.89
161DA.90.44.09.2765.FI	214W	4490mm	1.695,80	p.89
161DA.90.47.09.2765.FI	227W	4770mm	1.769,80	p.89
161DA.90.50.09.2765.FI	240W	5050mm	1.837,80	p.89
161DA.90.53.09.2765.FI	255W	5330mm	2.091,80	p.89
161DA.90.56.09.2765.FI	268W	5610mm	2.151,80	p.89
161DA.90.59.09.2765.FI	281W	5900mm	2.231,80	p.89

ORIS+ HIGH PERFORMANCE Linear Profile

ORIS+ HIGH PERFORMANCE SURFACE MOUNTED	POWER	LENGTH (L1)	PRICE	CAT. 2019	ORIS+ HIGH PERFORMANCE SUSPENDED	POWER	LENGTH (L1)	PRICE	CAT. 2019
156HP.80.11.90.CT.FI	48W	1130mm	195,80	p.91	157HP.80.11.90.CT.FI	48W	1130mm	277,80	p.91
156HP.80.14.90.CT.FI	61W	1410mm	229,80	p.91	157HP.80.14.90.CT.FI	61W	1410mm	313,80	p.91
156HP.80.16.90.CT.FI	73W	1690mm	299,80	p.91	157HP.80.16.90.CT.FI	73W	1690mm	395,80	p.91
156HP.80.19.90.CT.FI	85W	1970mm	347,80	p.91	157HP.80.19.90.CT.FI	85W	1970mm	441,80	p.91
156HP.80.22.90.CT.FI	97W	2250mm	375,80	p.91	157HP.80.22.90.CT.FI	97W	2250mm	481,80	p.91
156HP.80.25.90.CT.FI	109W	2530mm	411,80	p.91	157HP.80.25.90.CT.FI	109W	2530mm	515,80	p.91
156HP.80.28.90.CT.FI	121W	2810mm	481,80	p.91	157HP.80.28.90.CT.FI	121W	2810mm	591,80	p.91
156HP.80.30.90.CT.FI	133W	3090mm	517,80	p.91	157HP.80.30.90.CT.FI	133W	3090mm	639,80	p.91
156HP.80.33.90.CT.FI	145W	3370mm	549,80	p.91	157HP.80.33.90.CT.FI	145W	3370mm	673,80	p.91
156HP.80.36.90.CT.FI	157W	3650mm	595,80	p.91	157HP.80.36.90.CT.FI	157W	3650mm	719,80	p.91
156HP.80.39.90.CT.FI	170W	3930mm	665,80	p.91	157HP.80.39.90.CT.FI	170W	3930mm	793,80	p.91
156HP.80.42.90.CT.FI	182W	4210mm	699,80	p.91	157HP.80.42.90.CT.FI	182W	4210mm	839,80	p.91
156HP.80.44.90.CT.FI	194W	4490mm	729,80	p.91	157HP.80.44.90.CT.FI	194W	4490mm	867,80	p.91
156HP.80.47.90.CT.FI	206W	4770mm	767,80	p.91	157HP.80.47.90.CT.FI	206W	4770mm	905,80	p.91
156HP.80.50.90.CT.FI	218W	5050mm	835,80	p.91	157HP.80.50.90.CT.FI	218W	5050mm	995,80	p.91
156HP.80.53.90.CT.FI	230W	5330mm	881,80	p.91	157HP.80.53.90.CT.FI	230W	5330mm	1.041,80	p.91
156HP.80.56.90.CT.FI	242W	5610mm	911,80	p.91	157HP.80.56.90.CT.FI	242W	5610mm	1.073,80	p.91
156HP.80.59.90.CT.FI	254W	5900mm	947,80	p.91	157HP.80.59.90.CT.FI	254W	5900mm	1.137,80	p.91

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
Emergency Kit Tridonic 150W 50-200VDC 3H 4 cells	6080-007	109,80	p.91
Smart Switch Kit for ORIS+ < 6m	8030-2214	41,00	p.91
BASIC Smart Sensor IP20	8030-1203	99,80	p.91
Remote control for BASIC Smart sensor IP20	8030-0647	15,20	p.91

ORIS+ MODULAR Linear Profile

ORIS+ EFFICIENCY SURFACE MOUNTED	POWER	LENGTH (L1)	PRICE	CAT. 2019	APALIS MINI TRACKLIGHT + BLIND COVER	Nº TRACKLIGHT	POWER	LENGTH (L1)	PRICE	CAT. 2019
150.80.05.09.CT.FI	18W	570mm	99,80	p.95	162.90.0217.CT.FI	1	7W	280mm	90,00	p.95
150.80.08.09.CT.FI	28W	850mm	131,40	p.95	162.90.0227.CT.FI	2	2x7W	280mm	144,00	p.95
150.80.11.09.CT.FI	36W	1130mm	145,80	p.95	162.90.0527.CT.FI	2	2x7W	560mm	159,80	p.95
150.90.05.09.CT.FI	18W	570mm	119,80	p.95	162.90.0537.CT.FI	3	3x7W	560mm	205,80	p.95
150.90.08.09.CT.FI	28W	850mm	159,80	p.95						
150.90.11.09.CT.FI	36W	1130mm	179,80	p.95						

BLACK RECESSED SPOTS	POWER	LENGTH (L1)	PRICE	CAT. 2019	PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
160.90.35.02.CT.TB	10W	285mm	79,80	p.95	Invisible screw end cap for ORIS Plus	5004-007.FI	17,80	p.87/95
160.90.35.05.CT.TB	20W	570mm	139,80	p.95	Blind Cover 140mm	8080-0162	9,00	p.95
160.90.35.08.CT.TB	30W	855mm	169,80	p.95	Blind Cover 280mm	8080-0163	13,80	p.95
160.90.35.11.CT.TB	40W	1140mm	221,80	p.95	Blind Cover 560mm	8080-0164	23,80	p.95
					Suspension Kit Silver cable 1500mm	3080-0045.SL	7,80	p.95
					Suspension Kit White cable 1500mm	3080-0045.WH	7,80	p.95

REVO Trunking System

RAIL NAME	RAIL CODE	LENGTH	PRICE	CAT. 2019	
Complete rail without joining	166F.COM.16.FI	1699mm	79,20	p.97	
	166F.COM.25.FI	2550mm	115,40	p.97	
	166F.COM.33.FI	3393mm	133,80	p.97	
	166F.COM.42.FI	4244mm	168,80	p.97	
	166F.COM.50.FI	5088mm	187,80	p.97	
Initial rail	166.INI.16.FI	1697mm	90,60	p.97	
	166F.INI.16.FI	1697mm	93,80	p.97	
Intermediate rail	166.INT.16.FI	1695mm	84,60	p.97	
	166F.INT.16.FI	1695mm	87,80	p.97	
	166.INT.33.FI	3389mm	133,80	p.97	
	166F.INT.33.FI	3389mm	136,60	p.97	
	166.INT.50.FI	5084mm	185,80	p.97	
	166F.INT.50.FI	5084mm	189,20	p.97	
	Final rail	166.FIN.08.FI	853mm	55,80	p.97
166F.FIN.08.FI		853mm	57,80	p.97	
166.FIN.16.FI		1697mm	70,80	p.97	
166F.FIN.16.FI		1697mm	73,80	p.97	
166.FIN.33.FI		3391mm	122,80	p.97	
166F.FIN.33.FI		3391mm	127,80	p.97	
MODULE NAME	MODULE CODE	POWER	LENGTH	PRICE	CAT. 2019
Efficiency 500mA	167.50.08.BA.CT.FI	25W	851mm	108,80	p.98
	167.50.16.BA.CT.FI	50W	1695mm	175,80	p.98
High Performance 700mA	167.70.08.BA.CT.FI	36W	851mm	119,80	p.98
	167.70.16.BA.CT.FI	73W	1695mm	195,80	p.98

REVO & TREV Accessories

WIRES REGULATION TYPE	WIRES CODES	WIRES Nº	LENGTH	PRICE	CAT. 2019
ON/OFF (L + N + G)	3W.15.08	3	867mm	0,00*	p.99-103
	3W.15.17	3	1724mm	0,00*	p.99-103
	3W.15.25	3	2589mm	0,00*	p.99-103
	3W.15.34	3	3443mm	0,00*	p.99-103
	3W.15.43	3	4308mm	0,00*	p.99-103
	3W.15.51	3	5162mm	0,00*	p.99-103
or/ou ON/OFF (L1 + L2 + L3 + N + G)	5W.15.08	5	867mm	6,25	p.99-103
	5W.15.17	5	1724mm	6,25	p.99-103
or/ou ON/OFF + Emerg. (L + N + G + EML + EMN)	5W.15.25	5	2589mm	12,50	p.99-103
	5W.15.34	5	3443mm	12,50	p.99-103
or/ou DALI (L + N + G + DA/L + DA/N)	5W.15.43	5	4308mm	18,75	p.99-103
	5W.15.51	5	5162mm	18,75	p.99-103

* The price of this accessory is included in the price of the product.
O preço deste acessório está incluído no preço do produto.

TREV Trunking System

RAIL NAME	RAIL CODE	LENGTH	PRICE	CAT. 2019	
Complete rail without joining	168F.COM.17.FI	1724 mm	79,20	p.101	
	168F.COM.25.FI	2589 mm	115,40	p.101	
	168F.COM.34.FI	3443 mm	133,80	p.101	
	168F.COM.43.FI	4308 mm	168,80	p.101	
	168F.COM.51.FI	5162 mm	187,80	p.101	
Initial rail	168.INT.17.FI	1722 mm	90,60	p.101	
	168F.INT.17.FI	1722 mm	93,80	p.101	
Intermediate rail	168.INT.34.FI	1720 mm	84,60	p.101	
	168F.INT.34.FI	1720 mm	87,80	p.101	
	168.INT.51.FI	3439 mm	133,80	p.101	
	168F.INT.51.FI	3439 mm	136,60	p.101	
	168.FIN.08.FI	5158 mm	185,80	p.101	
	168F.FIN.08.FI	5158 mm	189,20	p.101	
Final rail	168.FIN.17.FI	867 mm	55,80	p.101	
	168F.FIN.17.FI	867 mm	57,80	p.101	
	168.FIN.34.FI	1722 mm	70,80	p.101	
	168F.FIN.34.FI	1722 mm	73,80	p.101	
	166.FIN.33.FI	3441 mm	122,80	p.101	
	166F.FIN.33.FI	3441 mm	127,80	p.101	
MODULE NAME	MODULE CODE	POWER	LENGTH	PRICE	CAT. 2019
Efficiency 250mA	169.25.08.BA.CT.FI	23W	865 mm	119,80	p.102
	169.25.17.BA.CT.FI	46W	1720 mm	193,80	p.102
High Performance 350mA	169.35.08.BA.CT.FI	33W	865 mm	131,80	p.102
	169.35.17.BA.CT.FI	67W	1720 mm	215,80	p.102

WIRES REGULATION TYPE	WIRES CODES	WIRES Nº	LENGTH	PRICE	CAT. 2019
or/ou ON/OFF + Emerg. (L1 + L2 + L3 + N + G + EML + EMN)	7W.15.08	7	867mm	12,50	p.99-103
	7W.15.17	7	1724mm	12,50	p.99-103
	7W.15.25	7	2589mm	25,00	p.99-103
	7W.15.34	7	3443mm	25,00	p.99-103
or/ou DALI + Emerg. (L + N + G + DA/L + DA/N + EML + EMN)	7W.15.43	7	4308mm	37,50	p.99-103
	7W.15.51	7	5162mm	37,50	p.99-103

ACCESSORY NAME	ACCESSORY CODE	LENGTH	PRICE	CAT. 2019
Blind cover for REVO	170.08.FI	851mm	39,80	p.99
Blind cover for REVO	170.16.FI	1695mm	59,80	p.99
Blind cover for TREV	171.08.FI	865mm	39,80	p.103
Blind cover for TREV	171.17.FI	1720mm	59,80	p.103
Suspension kit	3080-0044.FI	1500mm	7,80	p.99-103
Surface mounting clip	5004-020	/	7,80	p.99-103

CEILING DOWNLIGHT Indoor Lighting

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
TINKER BELL	340.85.50.CT.TW	1 W	13,80	p.107
PUMMERIN	342.85.36.CT.TWB	1 W	25,80	p.108
KYOTO	343.85.36.CT.TWB	4 W	37,60	p.109
SAVAGE NORMAL	329.90.BA.CT.TWB	10 W	53,80	p.111
SAVAGE ASYM.	331.90.BA.CT.TWB	10 W	53,80	p.113
ERIDANE	326.90.BA.CT.TW	10 W	64,80	p.115
ERIDANE	339.90.36.CT.TW	13 W	77,80	p.115
ERIDANE	339.90.36.2065.TW	13 W	249,80	p.115
SPITZER	338.85.36.CT.TW	7 W	71,80	p.117
MONET	327.90.BA.CT.TW	10 W	64,80	p.119
MONET	341.90.36.CT.TW	13 W	77,80	p.119
MONET	341.90.36.2065.TW	13 W	249,80	p.119
HUBBLE	337.85.36.CT.TW	7 W	71,80	p.121
RODIN	325.90.BA.CT.FI	10 W	51,80	p.123
MATISSE	304.90.36.CT.TW	13 W	64,80	p.125
MATISSE	304.90.36.2065.TW	13 W	233,80	p.125
KLEIN	306.90.36.CT.TW	18 W	79,80	p.127
KLEIN	306.90.36.2065.TW	18 W	271,80	p.127
MIRÓ	328.90.BA.CT.FI	10 W	51,80	p.129

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
MODULE 50mm	363.90.BA.CT	9 W	25,80	p.136
MODULE 50mm	364.90.BA.CT	12 W	33,80	p.137
LUYTEN Fixture	1080-101.TW	/	25,80	p.137
ERIDANE Fixture	1080-102.TW	/	25,80	p.137
MIRÓ Fixture	1080-100.FI	/	21,80	p.137

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
ROXANE	332.90.BA.CT.FI	10 W	95,80	p.131
ELIOT	344.85.60.CT.FI	1 W	19,80	p.133
FROST	346.85.45.CT.FI	4 W	33,80	p.135
Driver 1-3u.	8015-0222	/	11,80	p.107/108/133
Driver 3-5u. Driver Kyoto / Frost 1u.	8015-0224	/	11,80	p.107-109/133-135
Waterproof box	4080-1030	/	11,60	p.107-109/133-135
Output cable gland	4080-1031	/	1,74	p.107-109/133-135
Cover for waterproof box	4080-1033	/	1,70	p.107-109/133-135
Distributor with 6 outputs	8030-0004	/	3,80	p.107-109/133-135
Distributor shunt	8030-0008	/	0,58	p.107

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
CAROLINE 100mm	375.10.25.BA.CT	10 W	35,54	p.139
CAROLINE 150mm	375.15.25.BA.CT	10 W	47,66	p.139
CAROLINE 150mm	375.15.53.BA.CT	20 W	49,43	p.139
CAROLINE 200mm	375.20.53.BA.CT	20 W	66,79	p.139
CAROLINE 200mm	375.20.79.BA.CT	30 W	68,11	p.139

LED PANEL Indoor Lighting

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
MATRIX 1200x300mm ON-OFF	C3017-256.42	38,90	p.141
MATRIX 600x600mm ON-OFF	C3017-255.42	38,90	p.141
MATRIX 1200x300mm DALI	C3017DA-256.42	79,80	p.141
MATRIX 1200x300mm 1-10V	C3017D-256.42	79,80	p.141
MATRIX 600x600mm DALI	C3017DA-255.42	79,80	p.141
MATRIX 600x600mm 1-10V	C3017D-255.42	79,80	p.141

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
White surface mounted frame for MATRIX 600x600	3080-008	23,80	p.141
White surface mounted frame for MATRIX 1200x300	3080-0014	29,40	p.141
Suspension kit	3080-0020	7,80	p.141
Round textured white ceiling cup 38mm for electric cable	3080-013.TW	3,98	p.141

ALUMINIUM PROFILES Aluminium profiles & LED Strips

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
TRIX profile 2000mm	8010-2002.FI	5,92	p.146
Frosted diffuser 2000mm for TRIx	8080-2007	2,98	p.146
White PVC end cap with hole for TRIx	8080-0004	0,58	p.146
Mounted bracket for TRIx	8080-0006	0,58	p.146
PL10 construction profile	G8107012	10,74	p.146
Z01 mounting clip for PL serie	G8106210	0,64	p.146
Z02 mounting clip for P023	G8104050	0,96	p.146
Z06 spring-gripper	G8251001	0,96	p.146
PL3 profile	G8106032	11,68	p.146
C1 frosted diffuser	G8600004	2,84	p.146-148
E7 PVC end cap	G8106135	0,52	p.146
E8 PVC end cap with hole	G8106030	0,60	p.146
E9 Aluminium end cap	G8106120	7,94	p.146
PL5 profile	G8105201	10,74	p.147
C3 frosted diffuser	G8600005	4,60	p.147-148
C4 frosted diffuser	G8600006	10,90	p.147-148
E10 PVC end cap	G8106050	0,52	p.147
E11 PVC end cap with hole	G8106052	0,60	p.147
E53 PVC end cap	G8110009	0,50	p.147
E54 PVC end cap with hole	G8110010	0,60	p.147
E12 Aluminium end cap (with PL10)	G8106025	7,84	p.147
PL6 profile	G8106062	9,60	p.147
E16 PVC end cap	G8106068	0,50	p.147
E17 PVC end cap with hole	G8106063	0,60	p.147
E18 Aluminium end cap (with PL10)	G8106064	11,64	p.147
PL8 profile	G8106082	7,82	p.147
E25 PVC end cap	G8106085	0,84	p.147
E26 PVC end cap with hole	G8106080	0,60	p.147
E27 Aluminium end cap (with PL10)	G8106045	7,94	p.147

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
P015 profile	G8102062	6,58	p.148
E35 PVC end cap	G8102060	0,36	p.148
E36 PVC end cap with hole	G8103062	0,38	p.148
P023 profile	G8104052	18,66	p.148
C8 frosted diffuser	G8600013	3,60	p.148
E41 PVC end cap	G8103050	0,52	p.148
E42 PVC end cap with hole	G8103052	0,52	p.148
FP2 profile	G8102034	17,70	p.148
PN4 profile	G8201012	18,66	p.149
C10 frosted diffuser	G8600017	7,98	p.149-150
C11 frosted diffuser	G8600018	15,72	p.149-150
C12 frosted diffuser	G8600019	21,52	p.149-150
E43 Aluminium end cap	G8201011	7,34	p.149
E44 Aluminium end cap	G8202011	7,34	p.149
E45 Aluminium end cap	G8203011	7,34	p.149
PN6 profile	G8301012	25,62	p.149
E47 Aluminium end cap	G8301011	7,34	p.149-150
E48 Aluminium end cap	G8302011	7,34	p.149-150
E49 Aluminium end cap	G8303011	12,36	p.149-150
PN7 profile	G8305012	25,62	p.150
PN9 profile	G8405001	31,80	p.150
C103 frosted diffuser	G8600031	9,50	p.150
E105 white end cap	G8405005	1,20	p.150
PN17 profile	G8105042	62,28	p.151
C14 frosted diffuser	G8600014	8,52	p.151
E52 Aluminium end cap	G8106075	11,10	p.151
PN19 profile	G8105044	41,20	p.151
C16 frosted diffuser	G8600023	16,16	p.151
C17 frosted difuser	G8600024	19,38	p.151

LED STRIPS Aluminium profiles & LED Strips

PRODUCT NAME	PRODUCT CODE	NOMINAL POWER	PRICE	CAT. 2019
High Quality Light LED Strip	2002-153.90.CT	20W/m	13,90	p.153
High Performance LED Strip	2002-154.80.CT	24W/m	15,90	p.153
Powerful LED Strip	2002-136.80.CT	24W/m	10,90	p.153
Efficiency LED Strip 60 LED SMD2835	2002-135.80.CT	14,4W/m	7,80	p.155
Efficiency LED Strip 60 LED SMD5050	2002-123.80.CT	14,4W/m	11,40	p.155
Efficiency LED Strip 30 LED SMD2835	2002-134.80.CT	7,2W/m	5,90	p.155
Powerful Waterproof LED Strip	2002-143.80.CT	24W/m	13,90	p.157
Efficiency Waterproof LED Strip 60 LED SMD 2835	2002-142.80.CT	14,4W/m	9,40	p.157
Efficiency Waterproof LED Strip 60 LED SMD 5050	2002-126.80.CT	14,4W/m	12,20	p.157

PRODUCT NAME	PRODUCT CODE	NOMINAL POWER	PRICE	CAT. 2019
Tunable White LED Strip	2002-1112	14,4W/m	6,90	p.159
RGBW LED Strip	2002-1111	14,4W/m	9,28	p.159
RGBWA LED Strip	2002-1114	14,4W/m	20,80	p.159
Eco Serie LED Strip 60 LED SMD5050	2002-122.CT	14,4W/m	4,24	p.160
Eco Serie LED Strip 120 LED SMD2835	2002-116.CT	14,4W/m	3,80	p.160
230V LED Strip	2002-127.CT	14,4W/m	5,02	p.160

LED STRIPS Accessories

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
LED strip connector 12,5mm for 10mm 12-24V LED strip	8013-0026	0,50	p.161
LED strip connector 14,5mm for 10mm 12-24V LED strip	8013-0014	0,40	p.161
Connector with wire for 12-24V LED strip	8013-0015	0,50	p.161
Double connector with wire for 12-24V LED strip	8013-0016	0,80	p.161
L connector for 12-24V LED strip	8013-0017	1,30	p.161

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Power cord for 230V LED strip	8013-0030	1,90	p.161
Connector for 230V LED strip	8013-0031	0,70	p.161
End cap for 230V LED strip	8013-0032	0,30	p.161
Clip for 230V LED strip	8013-0033	0,40	p.161

DIMMING OPTIONS Aluminium profiles & LED Strips

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
Power Supply + DALI Controller	TD28001920	35W	85,08	p.162
Power Supply + DALI Controller	TD28001921	60W	100,61	p.162
Power Supply + DALI Controller	TD28001253	100W	126,65	p.162
Power Supply + DALI Controller	TD28001437	150W	163,59	p.162

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
24V Bluetooth power supply 35W	8030-2415	139,80	p.163
24V Bluetooth power supply 60W	8030-2416	157,80	p.163
24V Bluetooth power supply 100W	8030-2417	176,80	p.163
24V Bluetooth power supply 150W	8030-2418	209,80	p.163

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Bluetooth module for RGBW + Tunable White	8030-2575	135,80	p.163

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Controller DALI 12/24VDC 1 ch.	8012-0063	51,80	p.164
Controller DALI 12/24VDC 2-4 ch.	8012-0064	79,80	p.164
Controller DALI 12/24VDC 5 ch.	8012-0046	110,00	p.165

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Dimmer RF + Remote control 1 ch.	8012-0045	45,80	p.166
Dimmer RF + Remote control 2-4 ch. for Tunable White LED strip	8012-0050	49,80	p.167
Dimmer RF + Remote control 2-4 ch. for RGBW LED strip	8012-0053	49,80	p.167
Dimmer RF + Remote control 5 ch. for RGBWA LED strip	8012-0073	49,80	ECO p.6

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Power Amplifier 12/24VDC 1 ch.	8012-0065	39,80	p.168
Power Amplifier 12/24VDC 2-4 ch.	8012-0009	39,80	p.169

POWER SUPPLY Aluminium profiles & LED Strips

PRODUCT CODE	VOLTAGE	IP	POWER	PRICE	CAT. 2019
8011-0004	12V	IP20	25W	8,60	p.170
8011-0005	12V	IP20	60W	13,40	p.170
8011-0006	12V	IP20	100W	15,80	p.170
8011-0007	12V	IP20	150W	19,40	p.170
8011-0017	12V	IP20	250W	26,80	p.170
8011-2404	24V	IP20	25W	8,60	p.170
8011-2405	24V	IP20	60W	13,40	p.170
8011-2406	24V	IP20	100W	15,80	p.170
8011-2407	24V	IP20	150W	19,40	p.170
8011-2408	24V	IP20	200W	23,80	p.170
8011-2417	24V	IP20	250W	26,80	p.170

PRODUCT CODE	VOLTAGE	IP	POWER	PRICE	CAT. 2019
8011-1007	24V	IP67	30W	16,32	p.171
8011-1017	24V	IP67	60W	33,80	p.171
8011-1010	24V	IP67	150W	64,84	p.171

PRODUCT CODE	VOLTAGE	IP	POWER	PRICE	CAT. 2019
8011-2414	24V	IP20	60W	15,80	p.170
8011-2415	24V	IP20	100W	19,80	p.170
8011-2416	24V	IP20	150W	25,00	p.170

PRODUCT CODE	VOLTAGE	IP	POWER	PRICE	CAT. 2019
TD87500852	24V	IP20	35W	28,50	p.170
TD87500665	24V	IP20	60W	39,50	p.170
TD87500666	24V	IP20	100W	51,80	p.170
TD87500855	24V	IP20	200W	91,80	p.170

PRODUCT CODE	VOLTAGE	IP	POWER	PRICE	CAT. 2019
BR-060S024SV	24V	IP67	60W	50,00	p.171
BR-100S024SV	24V	IP67	100W	70,00	p.171
BR-150S024SV	24V	IP67	150W	78,00	p.171

OUTDOOR Lighting

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
LEMMING	501.80.20.CT	8W	89,80	p.175
HUMMING	500.80.45.CT	12W	89,80	p.177
TOSH	506.80.20.CT	2x8W	109,80	p.179
WAILER	508.80.105.CT	16W	129,80	p.181
MILLER	505.80.70.CT	2x8W	89,80	p.182
LEVY	509.80.20.CT	4W	55,80	p.183
LEMUR	510.80.25.CT	9W	127,80	p.185
EROS	511.80.40.CT	9W	83,80	p.187
ORION ROUND	603.85.36.CT.BS	2W	38,80	p.189
ORION SQUARE	602.85.36.CT.BS	2W	38,80	p.189
BENNET 1 WAY	600.85.70.CT.BAL	1W	34,80	p.190
BENNET 2 WAYS	601.85.70.CT.BAL	1W	34,80	p.190
LUNEN	604.85.36.CT.BS	7W	79,80	p.193

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Driver for Orion 1 piece, 700mA, IP65	SFSLT3-700ISC	11,80	p.189
Driver for Orion 2-5 pieces, 700mA	8015-0221	13,80	p.189
Waterproof box 81x83x55mm: 1 cable gland input of 4,8mm and 5 outputs	4080-1030	11,60	p.189-191
Output cable gland for waterproof box	4080-1031	1,74	p.189-191
Cover for waterproof box	4080-1033	1,70	p.189-191
Driver for Bennet 1-3 pieces, 350mA	8015-0222	11,80	p.191
Driver for Bennet 3-5 pieces, 350mA	8015-0224	11,80	p.191

ELLINGTON Flood Light

PRODUCT CODE	POWER	PRICE	CAT. 2019
4011-396.BA.CT	50W	128,00	p.197
4011-397.BA.CT	100W	218,00	p.197
4011-398.BA.CT	150W	318,00	p.197
4011-399.BA.CT	200W	398,00	p.197
4011-400.BA.CT	300W	618,00	p.197

TYSON High Power Flood Light

PRODUCT CODE	POWER	PRICE	CAT. 2019
732.80.BA.CT	400W	1.498,00	p.203
733.80.BA.CT	400W	1.098,00	p.203
734.80.BA.CT	400W	1.098,00	p.203
735.80.BA.CT	620W	1.498,00	p.203
736.80.BA.CT	620W	1.498,00	p.203

VOYAGER High Bay

PRODUCT CODE	POWER	PRICE	CAT. 2019
717D.80.90.55	150W	228,00	p.207

SIFTOS Waterproof Linear Lighting

PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
SIFTOS Efficiency	751EF25.12.CT	31W	61,54	p.209
SIFTOS High Performance	751HP50.12.CT	33W	84,80	p.209
SIFTOS High Performance	751HP70.12.CT	48W	84,80	p.209
PRODUCT NAME	PRODUCT CODE	POWER	PRICE	CAT. 2019
SIFTOS Efficiency DALI	751EF25DA.12.CT	31W	101,54	p.209
SIFTOS High Performance DALI	751HP50DA.12.CT	33W	124,80	p.209
SIFTOS High Performance DALI	751HP70DA.12.CT	48W	124,80	p.209

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
3-poles waterproof connector	3080-0046	7,80	p.209
5-poles waterproof connector	3080-0047	17,00	p.209
Strengthened suspension bracket for sloping installation	3080-0048	3,80	p.209
Suspension kit 1500mm w/ bracket	3080-0049	7,80	p.209
Switch for BASIC Smart	8030-2235	39,80	p.209
BASIC Smart Sensor IP65 - 80cm cable	8030-1277	139,80	p.209
Waterproof box for BASIC Smart Sensor IP65	8030-1568	15,80	p.209

FOLLOW ME Emergency Lighting

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
MAINTAINED PERMANENTE	6012-0001	53,80	p.211
	6012-0002	53,80	p.211
	6012-0003	53,80	p.211
	6012-0004	53,80	p.211
	6012-0005	53,80	p.211
	C6012-021	53,80	p.211
	C6012-026	53,80	p.211

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
NON-MAINTAINED NÃO PERMANENTE	6012-0006	53,80	p.211
	6012-0007	53,80	p.211
	6012-0008	53,80	p.211
	6012-0009	53,80	p.211
	6012-0010	53,80	p.211
	C6012-044	53,80	p.211
	C6012-045	53,80	p.211

ACCESSORY NAME	ACCESSORY CODE	PRICE	CAT. 2019
Stainless steel frame for recessed version	6080-110	17,80	p.213
White stainless steel frame for recessed version	6080-120	17,80	p.213

EMERGENCY KIT Emergency Lighting

PRODUCT NAME	PRODUCT CODE	PRICE	CAT. 2019
Emergency Kit Tridonic 150W 50-200VDC 3H 4 cells	6080-007	119,80	p.215
Emergency Kit Tridonic 150W 10-50VDC 3H 4 cells	6080-009	119,80	p.215

ECO BROCHURE

T5

PRODUCT CODE	POWER	PRICE	ECO. 2019
1015.80.120.03.CT	4W	5,80	p.11
1015.80.120.06.CT	8W	8,20	p.11
1015.80.120.12.CT	16W	13,60	p.11

GU10

PRODUCT CODE	POWER	PRICE	ECO. 2019
1010-143.CT	4,5W	3,42	p.11
1010-147.CT	6W	2,00	p.11

E27/E14

PRODUCT CODE	POWER	TYPE	BASE	PRICE	ECO. 2019
1011-193.CT	6W	GLOBE	E27	2,00	p.11
1011-195.CT	6W	CANDLE	E14	2,00	p.11
1011-187.CT	10W	GLOBE	E27	2,88	p.11
1011-186.CT	12W	GLOBE	E27	3,90	p.11

SLIM TAB

ORDER CODE	POWER	PRICE	ECO. 2019
C4011-290.01	10W	11,04	p.12
C4011-291.01	30W	23,46	p.12
C4011-292.01	50W	32,80	p.12